

## Reducing Centering Ring Stainless Steel 303

INFICON ISO-KF fittings are manufactured according to ISO 2861/1, DIN 28403 and Pneurop 6606. Our quality fittings are the standard components for all vacuum and high vacuum applications. The high quality INFICON components are designed and tested for leak rates less than 1 x 10-9 mbar l/s.



## **BENEFITS**

- Competitively priced
- World wide logistics
- Design and measures follow strictly international respected standards
- 2011/65/EU RoHS compliant

## **ORDERING INFORMATION**

Reducing centering ring cpl. DN 10-16 KF, Inox/FPM	211-078
Reducing centering ring cpl. DN 20-25 KF, Inox/FPM	211-079
Reducing centering ring cpl. DN 32-40 KF, Inox/FPM	211-080
Reducing centering ring cpl. DN16/10KF, Inox/CR	211-721
Reducing centering ring cpl. DN16/10KF, Inox/EPDM	211-727
Reducing centering ring cpl. DN16/10KF, Inox/NBR	211-724
Reducing centering ring cpl. DN16/10KF, Inox/VMQ	211-730
Reducing centering ring cpl. DN25/20KF, Inox/CR	211-722
Reducing centering ring cpl. DN25/20KF, Inox/EPDM	211-728
Reducing centering ring cpl. DN25/20KF, Inox/NBR	211-725
Reducing centering ring cpl. DN25/20KF, Inox/VMQ	211-731
Reducing centering ring cpl. DN40/32KF, Inox/CR	211-723

Reducing centering ring cpl. DN40/32KF, Inox/EPDM	211-729
Reducing centering ring cpl. DN40/32KF, Inox/NBR	211-726
Reducing centering ring cpl. DN40/32KF, Inox/VMQ	211-732

## **SPECIFICATIONS**

Туре	
DN 10-16 ISO-KF	
Dimension A	17
Dimension B	10
Dimension C	12
Dimension D	8
Ring:	Stainless Steel 303/1.4305
Seals:	CR, FPM, NBR, EPDM, VMQ
Dimension E	3.9
DN 20-25 ISO-KF	
Dimension A	26
Dimension B	20
Dimension C	22
Dimension D	8
Ring:	Stainless Steel 303/1.4305
Seals:	CR, FPM, NBR, EPDM, VMQ
Dimension E	3.9
DN 32-40 ISO-KF	
Dimension A	41
Dimension B	32
Dimension C	34
Dimension D	8
Ring:	Stainless Steel 303/1.4305
Seals	CR, FPM, NBR, EPDM, VMQ
Dimension E	3.9



