

O-Ring CR / FPM

INFICON ISO-K quality fittings are manufactured according to ISO 1609, DIN 28404 and Pneurop 6606. Our quality large diameter fittings are the standard vacuum components for all vacuum and high vacuum lines. The high quality INFICON fittings are designed and tested for leak rates less than 1×10^{-9} mbar l/s.



BENEFITS

- Competitively priced
- World wide logistics
- 2011/65/EU RoHS compliant

ORDERING INFORMATION

O-ring FPM75.5/VA75F, \varnothing 658.87x7, DN630ISO	212-369
O-ring FPM75.5/VA75F, \varnothing 329.57x7, DN320ISO	212-366
O-ring FPM75.5/VA75F, \varnothing 405.26x7, DN400ISO	212-367
O-ring FPM75.5/VA75F, \varnothing 506.86x7, DN500ISO	212-368
O-ring, CR60, \varnothing 107.32x5.33, 5 piece	212-388
O-ring, CR60, \varnothing 158.1x5.33, 5 piece	212-389
O-ring, CR60, \varnothing 208.92x5.33, 5 piece	212-390
O-ring, CR60, \varnothing 253.37x5.33, 5 piece	212-391
O-ring, CR60, \varnothing 75.57x5.33, 5 piece	212-386
O-ring, CR60, \varnothing 88.25x5.33, 5 piece	212-387
O-ring, FPM75, \varnothing 107.2x5.34, 5 piece	212-394
O-ring, FPM75, \varnothing 158.1x5.34, 5 piece	212-395
O-ring, FPM75, \varnothing 208.92x5.34, 5 piece	212-396

O-ring, FPM75, ø253.4x5.34, 5 piece	212-397
O-ring, FPM75, ø75.57x5.34, 5 piece	212-392
O-ring, FPM75, ø88.25x5.34, 5 piece	212-393


SPECIFICATIONS

Type	.
DN 63 ISO-K	
Dimension A	75.6
Dimension B	5.3
Set of:	5 pcs.
Seal:	CR, FPM
DN 80 ISO-K	
Dimension A	88.3
Dimension B	5.3
Set of:	5 pcs.
Seal:	CR, FPM
DN 100 ISO-K	
Dimension A	107.3
Dimension B	5.3
Set of:	5 pcs.
Seal:	CR, FPM
DN 160 ISO-K	
Dimension A	158.1
Dimension B	5.3
Set of:	5 pcs.
Seal:	CR, FPM
DN 200 ISO-K	
Dimension A	208.9
Dimension B	5.3
Set of:	5 pcs.
Seal:	CR, FPM
DN 250 ISO-K	
Dimension A	253.4
Dimension B	5.3
Set of:	5 pcs.

SPECIFICATIONS

Type	.
Seal:	CR, FPM
DN 320 ISO-K	
Dimension A	329.6
Dimension B	7
Seal:	CR, FPM
DN 400 ISO-K	
Dimension A	405.3
Dimension B	7
Seal:	CR, FPM
DN 500 ISO-K	
Dimension A	506.9
Dimension B	7
Seal:	CR, FPM
DN 630 ISO-K	
Dimension A	658.9
Dimension B	7
Seal:	CR, FPM

DIMENSIONS



www.inficon.com reachus@inficon.com

Due to our continuing program of product improvements, specifications are subject to change without notice.
RateWatcher is a trademark of INFICON. All other trademarks are the property of their respective owners.

(2014-10) © 2014 INFICON