


Adaptor Flange ISO-F / ISO-K

INFICON ISO-F quality fittings are manufactured according to ISO 1609, DIN 28404 and Pneurop 6606. Our quality large diameter fittings are the standard vacuum components for all vacuum and high vacuum lines. The high quality INFICON fittings are designed and tested for leak rates less than 1×10^{-9} mbar l/s.



BENEFITS

- Competitively priced
- World wide logistics
- Design and measures follow strictly international respected standards
- Surface finish, welds, material specifications and cleanliness meet or exceed high vacuum specifications
- 2011/65/EU RoHS compliant


ORDER INFORMATION

Type	DN 160 ISO-K / DN 63 ISO-F	DN 160 ISO-K / DN 100 ISO-F	DN 200 ISO-K / DN 100 ISO-F	DN 200 ISO-K / DN 160 ISO-F	DN 250 ISO-K / DN 160 ISO-F
Reducing flange, inox, DN 160 K / 100 F		212-153			
Reducing flange, inox, DN 160 K / 63 F	212-152				
Reducing flange, inox, DN 200 K / 100 F			212-155		
Reducing flange, inox, DN 200 K / 160 F				212-156	
Reducing flange, inox, DN 250 K / 160 F					212-159

SPECIFICATIONS

Type	DN 160 ISO-K / DN 63 ISO-F	DN 160 ISO-K / DN 100 ISO- F	DN 200 ISO-K / DN 100 ISO- F	DN 200 ISO-K / DN 160 ISO- F	DN 250 ISO-K / DN 160 ISO- F
Dimension A	22	25	20	25	22
Material:	Stainless steel 304/1.4301	Stainless steel 304/1.4301	Stainless steel 304/1.4301	Stainless steel 304/1.4301	Stainless steel 304/1.4301

DIMENSIONS



www.inficon.com reachus@inficon.com

Due to our continuing program of product improvements, specifications are subject to change without notice.
RateWatcher is a trademark of INFICON. All other trademarks are the property of their respective owners.

(2015-08) © 2015 INFICON